

09/935,181

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (object) and ('configuration manager') and ('shell manager') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:06
L5	1	(shell or script) and ('shell manager') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:52
L7	2	('master script file') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:51
S3	0	(customiza\$4 near2 shell) and (extensible) and (internet or web) and (browser or 'user interface') and (Jscript or HTML) and (instruction or command) and (display or window) and (configur\$5 same control) and (keyboard same control) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:18
S6	1	(customiza\$4 near4 shell) and (extensible) and (internet or web) and (browser or 'user interface') and (Jscript or HTML) and (instruction or command) and (display or window) and (configur\$5 same control) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 14:33
S10	4	(customiza\$4 near4 shell) and (internet or web) and (browser or 'user interface') and (instructio\$2 or comman\$2) and (display or window) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:20

S11	8	(customiza\$4 near4 shell) and (internet or web)and (display or window) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:23
S13	9	(customiza\$4 near2 shell) and (user) and (display) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:25
S15	3	(customiza\$4 near2 shell) and (Jscript or html) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:27
S17	9	(user near4 shell) and (Jscript) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:32
S19	63	(user near2 shell) and (exten\$6 same display) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:34
S20	56	(user near2 shell) and (exten\$6 same display) and control and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:35
S21	11	(user near2 shell) and (exten\$6 same display) and control and (Jscript or HTML) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
S22	123	(script) and (extensible) and (internet or web) and (browser or 'user interface') and (Jscript or HTML) and (instruction or command) and (display or window) and (configur\$5 same control) and (keyboard same control) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:19

S24	22	(customiz\$5 same script\$3) and (extensible) and (internet or web) and (browser or 'user interface') and (Jscript or HTML) and (instruction or command) and (display or window) and (configur\$5 same control) and (keyboard same control) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:56
S27	1	(shell near2 script\$3) and (extensible) and (internet or web) and (browser or 'user interface') and (Jscript or HTML) and (instruction or command) and (display or window) and (configur\$5 same control) and (keyboard same control) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:23
S31	9	(shell near2 script\$3) and (Jscript) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:48
S34	433	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 11:59
S35	266	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 12:00
S36	233	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (object) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 12:01

S37	176	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (object) and (configuration) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 12:01
S38	116	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (object) and (configuration) and (shell manager) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:05
S40	11	(receiv\$3 near2 (script or shell or instruction)) and (operat\$4 near2 system) and (display or window) and (Jscript) and ('user interface') and (object) and (configuration) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 12:02
S41	75	(script near3 function) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:22
S42	8	(script near3 function) and (operat\$4 near2 system) and (display or window) and (Jscript) and ('user interface') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 12:41
S46	2	('user interface') and ((generat\$4 near2 function) near2 script) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:19
S47	12	(script).ab. and (script near3 function) and (operat\$4 near2 system) and (display or window) and (Jscript or HTML) and ('user interface') and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:22

S48	13	(customiza\$4 near2 shell) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 14:34
S49	170	((customiz\$6 near2 shell) or (customiz\$6 near2 script)) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 14:35
S50	5	((customiza\$6 near2 shell) or (customiza\$6 near2 script)) and (Jscript or html) and (@ad<"20000821" or @prad<"20000821" or @rlad<"20000821")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 14:35